



INDEXES FOR THE *INTERNATIONAL JOURNAL OF MUSHROOM SCIENCES (IJMS)* AND *MICOLOGÍA NEOTROPICAL APLICADA (MNA)*

R. H. KURTZMAN AND D. MARTÍNEZ-CARRERA

Editors

***IJMS* (ISSN 1083-8139) Author index,
volumes 1-3 (1995-2000)**

| | |
|----------------------|---|
| Abdullah, N. | 1: (2) 21; 2: (3) 59 |
| Alameda, M. | 3: (1) 21 |
| Betancourt, C. | 3: (1) 21 |
| Chet, I. | 2: (2) 33 |
| da Serra, M. | 2: (3) 49 |
| Danai, O. | 2: (2) 33 |
| Dmoch, J. | 2: (1) 15 |
| Dmowska, E. | 2: (1) 15 |
| Evue, G. A. | 2: (2) 41 |
| Hadar, Y. | 2: (2) 33 |
| Hernández-Bacó, C. | 3: (1) 21 |
| Ilieva, K. | 2: (1) 15 |
| Isikhuemhen, O. S. | 2: (2) 41; 3: (1) 3 |
| Kirby, R. | 2: (3) 49 |
| Kume, T. | 2: (2) 27 |
| Kurtzman, Jr., R. H. | 1: (1) 11; 1: (2) 20; 1: (2) 27; 3: (1) 27 |
| Levanon, D. | 2: (2) 33 |
| Malek, M. A. | 2: (2) 27 |
| Martínez-Carrera, D. | 3: (1) 9 |
| Matsushashi, S. | 2: (2) 27 |
| Mignucci, J. S. | 3: (1) 21 |
| Okhuoya, J. A. | 2: (2) 41; 3: (1) 3 |

| | |
|-------------------|----------------------|
| Olenik, I. | 2: (2) 33 |
| Overstijns, A. | 1: (1) 3 |
| Rivera-Vargas, L. | 3: (1) 21 |
| Tomo, H. A. | 3: (1) 3 |
| Van Laere, A. | 1: (1) 3; 2: (1) 3 |
| Verbeke, M. N. | 1: (1) 3; 2: (1) 3 |
| Werbrouck, A. | 1: (1) 3 |
| Zafar, S. I. | 1: (2) 21; 2: (3) 59 |

***IJMS* (ISSN 1083-8139) Subject index,
volumes 1-3 (1995-2000)**

| | |
|-------------------------------|---|
| <i>Acacia longifolia</i> | 2: (3) 49 |
| <i>Acacia measrnsii</i> | 2: (3) 41 |
| <i>Afzelia pachyloba</i> | 2: (2) 41 |
| <i>Agaricus</i> | 1: (1) 3; 1: (1) 11; 1: (2) 27; 2: (1) 3; 2: (1) 15 |
| <i>Agaricus</i> , spp. | 3: (1) 9; 3: (1) 27 |
| agarose | 1: (2) 27 |
| algin | 1: (2) 27 |
| <i>Allescheria terrestris</i> | 2: (3) 59 |
| animal feed | 2: (3) 59 |
| <i>Arthrobacter</i> sp. | 2: (3) 59 |

| | | | |
|--------------------------------------|------------------------------------|-----------------------------|----------------------------------|
| aspen wood | 2: (3) 59 | DABCO | 2: (2) 33 |
| <i>Aspergillus japonicus</i> | 2: (3) 59 | development | 2: (1) 3 |
| <i>Aspergillus niger</i> | 2: (3) 59 | <i>Dichonitus squalens</i> | 2: (3) 59 |
| <i>Aureobasidium</i> | 2: (3) 59 | diseases | 3: (1) 21 |
| <i>pullulans</i> | | Dmoch, Prof. Dr. Jacek | 2: (1) 22 |
| <i>Auricularia auricula</i> | 2: (2) 27 | Dowex | 1: (2) 27 |
| bacteriovorus | 2: (1) 15 | fermentation | 2: (2) 27 |
| nematodes | | <i>Fomes ulmarius</i> | 2: (3) 59 |
| bagasse | 1: (2) 21 | forest liter | 2: (3) 59 |
| beech wood | 2: (3) 59 | fungi | 2: (2) 27 |
| bicarbonate ion | 1: (2) 27 | <i>Fusarium solani</i> | 2: (3) 59 |
| biodegradation | 1: (2) 21; 2: (2) 27; 2: (3) 59 | <i>Fusarium</i> sp. | 2: (3) 59 |
| biotechnology | 3: (1) 9 | <i>Ganoderma lucidum</i> | 2: (2) 27 |
| birch wood | 2: (3) 59 | <i>Ganoderma applanatum</i> | 2: (3) 59 |
| <i>Bjerrandera adusta</i> | 2: (3) 59 | gas | 1: (1) 11 |
| <i>Bondarzewia berkeleyi</i> | 2: (3) 59 | gels | 1: (2) 71 |
| <i>Brachystegia nigerica</i> | 2: (2) 41 | <i>Gleoporus dichrous</i> | 2: (3) 59 |
| <i>Burkholderia cepacia</i> | 3: (1) 21 | gravel | 1: (1) 11 |
| C ¹⁴ tracers | 2: (1) 3 | <i>Grifola frondosa</i> | 2: (3) 59 |
| <i>Canarium</i> | 2: (2) 41 | hemicellulose | 2: (3) 59 |
| <i>schweinfurthii</i> | | <i>Hericiium erinacium</i> | 2: (2) 27 |
| <i>Candida utilis</i> | 2: (3) 59 | HPLC (oxylate) | 2: (1) 3 |
| casing | 1: (1) 11; 1: (2) 27; 3: (1) 27 | inert casing | 1: (1) 11; 1: (2) 27 |
| cattle | 1: (2) 21 | integrated control | 3: (1) 21 |
| cellibiosequinone- oxidoreductase | 2: (3) 59 | interdiol dioxygenase | 2: (3) 59 |
| cellulose | 2: (3) 59 | invader tree | 2: (3) 49 |
| chemical composition | 2: (2) 27 | ion exchange | 1: (1) 11; 1: (2) 27 |
| chemical ecology | 3: (1) 27 | laccase | 1: (1) 3; 2: (1) 3; 2: (3) 59 |
| <i>Chlorophora excelsa</i> | 2: (2) 41 | <i>Lentinula edodes</i> | 2: (3) 59; 3: (1) 9 |
| <i>Cladobotryum</i> | 3: (1) 21 | <i>Lenzites trabea</i> | 2: (3) 59 |
| <i>dendroides</i> | | <i>Lepidocyrtus ramosa</i> | 3: (1) 21 |
| clay | 1: (1) 11 | light | 2: (2) 33 |
| climate | 3: (1) 27 | lignin | 2: (3) 59 |
| <i>Collybia butyracea</i> | 2: (3) 59 | ligno-cellulose | 1: (2) 21 |
| <i>Coprinus comatus</i> | 2: (2) 27 | degradation | |
| <i>Coprinus</i> , spp. | 3: (1) 21; 3: (1) 27 | lignocellulose | 2: (3) 59 |
| <i>Coriopsis</i> | 2: (3) 59 | <i>Manzonia altissima</i> | 2: (2) 41 |
| <i>occidentalis</i> | | <i>Merulius tremellosus</i> | 3: (2) 59 |
| <i>Coriolus versicolor</i> | 2: (2) 27; 2: (3) 59 | morphogenesis | 2: (2) 33 |
| crop residues | 2: (3) 59 | <i>Nauclea dideriichii</i> | 2: (2) 41 |
| <i>Cyathus stercoreus</i> | 2: (3) 59 | nematodes | 2: (1) 15 |
| | | <i>Nesogordenia</i> | 2: (2) 41 |
| | | <i>papaverifera</i> | |

| | | | |
|-------------------------------|------------------------------------|------------------------------|----------------------|
| new crops | 3: (1) 27 | <i>Polyporus brumalis</i> | 2: (3) 59 |
| new methods | 3: (1) 27 | <i>Polyporus ancepes</i> | 2: (3) 59 |
| nutrition | 3: (1) 27 | <i>Polyporus arcularius</i> | 2: (2) 27 |
| obituary | 2: (1) 22 | <i>Polyporus berkeleyi</i> | 2: (3) 59 |
| “organic” cultivation | 3: (1) 21 | <i>Polyporus tulipiferae</i> | 2: (3) 59 |
| oxalate | 2: (1) 3 | <i>Polyporus versicolor</i> | 2: (3) 59 |
| oxylate | 1: (1) 3 | population dynamics | 2: (1) 15 |
| paraquat | 2: (2) 33 | <i>Poria cinerescens</i> | 2: (3) 59 |
| peanut hull | 2: (3) 59 | <i>Poria subacida</i> | 2: (3) 59 |
| peat moss | 1: (1) 11 | porosity | 1: (1) 11 |
| <i>Penicillium</i> | 2: (3) 59 | <i>Preussia</i> sp. | 2: (3) 59 |
| peroxidase | 2: (3) 59 | primordia | 2: (2) 33 |
| pests | 3: (1) 21 | Puerto Rico | 2: (2) 26; 3: (1) 21 |
| <i>Phanerochaete</i> | 2: (3) 59 | <i>Pycnoporus</i> | 2: (3) 59 |
| <i>chrysosporium</i> | | <i>cinnabarinus</i> | |
| phenolic radicals | 1: (1) 3 | quinol-quinone | 1: (1) 3 |
| <i>Phialophora</i> | 2: (3) 59 | radical generators | 2: (2) 33 |
| <i>richardsiae</i> | | reactive oxygen species | 2: (2) 33 |
| <i>Phlebia brevispora</i> | 2: (3) 59 | redox couple | 1: (1) 3 |
| <i>Pholiota mutabilis</i> | 2: (3) 59 | redox reactions | 2: (1) 3 |
| Phorid | 3: (1) 21 | reticulo-rumen | 1: (2) 21 |
| physical ecology | 3: (1) 27 | digestibility | |
| <i>Piptadeniastrum</i> | 2: (2) 41 | review | 2: (3) 59 |
| <i>africanum</i> | | <i>Rhabditis cucumeris</i> | 2: (1) 15 |
| <i>Pleurotus calyptratus</i> | 2: (3) 49 | riboflavin | 2: (2) 33 |
| <i>Pleurotus</i> | 2: (3) 49 | rice straw | 2: (2) 27; 2: (3) 59 |
| <i>citrinopileatus</i> | | rose bengal | 2: (2) 33 |
| <i>Pleurotus columbinus</i> | 2: (3) 49 | ruminal digestion | 2: (2) 27 |
| <i>Pleurotus</i> diseases | 3: (1) 21 | rural development | 3: (1) 9 |
| <i>Pleurotus djamor</i> | 2: (2) 27 | rye grass | 2: (3) 59 |
| <i>Pleurotus eryngii</i> | 2: (3) 49 | sawdust | 2: (2) 41 |
| <i>Pleurotus ostreatus</i> | 2: (2) 33; 2: (3) 49; 2: (3) 59 | Sciarid | 3: (1) 21 |
| <i>Pleurotus</i> pests | 3: (1) 21 | sclerotia | 2: (2) 41; 3: (1) 3 |
| <i>Pleurotus pulmonarius</i> | 2: (3) 49 | <i>Serpula lacrymans</i> | 2: (3) 59 |
| <i>Pleurotus sajor-caju</i> | 2: (2) 27 | <i>Shorea</i> sp. | 2: (3) 49 |
| <i>Pleurotus tuber-regium</i> | 2: (2) 41 | singlet oxygen | 2: (2) 33 |
| <i>Pleurotus tuberregium</i> | 3: (1) 3 | soil factors | 3: (1) 3 |
| <i>Pleurotus</i> , spp. | 3: (1) 9; 3: (1) 21; 3: (1) 27 | spectrum, light | 2: (2) 33 |
| polarographic | 2: (1) 3 | sporophore induction | 3: (1) 3 |
| polarography | 1: (1) 4 | sporophores | 2: (2) 33; 2: (2) 41 |
| <i>Polyporus</i> sp. | 2: (3) 59 | spruce wood | 2: (3) 59 |
| polyacrylamide-starch | 1: (2) 27 | <i>Stropharia</i> | 2: (3) 59 |
| | | <i>rugoso-annulata</i> | |
| | | substrate | 2: (2) 41 |

| | |
|---|--|
| substrates | 3: (1) 27 |
| sugar-cane | 1: (2) 21 |
| sugar-cane bagasse | 2: (3) 59 |
| sustainable agriculture | 3: (1) 9 |
| sweetgum wood | 2: (3) 59 |
| symposium | 2: (2) 26; 3: (1) 9; 3: (1) 21; 3: (1) 27 |
| <i>Terminalia ivoriensis</i> | 2: (2) 41 |
| <i>Trametes gibbosa</i> | 2: (3) 59 |
| <i>Trametes versicolor</i> | 1: (2) 21; 2: (3) 59 |
| <i>Trichoderma</i> sp. | 2: (3) 59 |
| <i>Trichoderma</i> <i>harzianum</i> | 3: (1) 21 |
| <i>Triplochiton</i> <i>scleroxylon</i> | 2: (2) 41 |
| tropical America | 3: (1) 9; 3: (1) 21 |
| <i>Volvariella</i> , spp. | 3: (1) 9; 3: (1) 27 |
| water | 1: (1) 11 |
| wheat straw | 2: (3) 59 |
| white-rot basidiomycete | 1: (2) 21 |
| white-rot basidiomycetes | 2: (3) 59 |
| words, coined | 2: (1) 1 |
| Writing to learn biology | 1: (2) 20 |
| <i>Xanthomonas</i> sp. | 2: (3) 59 |

**MNA (ISSN 0187-8921) Author index,
volumes 1-12 (1988-1999)**

| | | | |
|------------------------|--|-------------------------|--|
| Abraham, S. P. | 1: 55; 2: 41; 5: 67; 7: 35 | Feng, Z.-Y. | 11: 1 |
| Acosta-Urdapilleta, L. | 8: 65; 9: 117 | Ferrera-Cerrato, R. | 2: 115; 9: 53 |
| Aguilar, A. | 6: 81; 8: 53; 9: 15; 9: 43; 11: 35; 11: 77; 12: 23 | Fierros-González, A. M. | 3: 31; 3: 53 |
| Akpaja, E. | 12: 9 | Franco, G. | 6: 105 |
| Albertó, E. | 10: 33; 12: 1 | Fucikovsky Zack, L. | 8: 39 |
| Alm, G. | 6: 73 | Gaime-Perraud, I. | 6: 95 |
| Altuna, B. | 9: 107 | Gaitis, F. | 7: 5 |
| Alvarado, D. | 4: 99 | García Bastian, R. M. | 11: 9 |
| Amezcuca, C. | 10: 57 | González, L. | 9: 107 |
| Aquihuatl, M. A. | 2: 3 | González-Chávez, M. C. | 2: 115; 9: 53 |
| Arias-García, A. | 9: 67 | Gross, P. | 7: 47 |
| Armijo de Vega, C. | 5: 1 | Guan, S.-M. | 11: 1 |
| Asther, M. | 11: 69 | Gutiérrez, I. | 9: 107 |
| Balis, C. | 5: 39 | Gutiérrez-Rojas, M. | 6: 15 |
| Bandala-González, E. | 3: 41 | Guzmán-Dávalos, L. | 6: 61; 9: 81; 10: 83 |
| Bautista, N. | 8: 65 | Hannibal, L. | 11: 23 |
| Bautista-Justo, M. | 11: 53 | He, D.-M. | 11: 1 |
| Bermúdez, R. C. | 7: 47 | Hernández, R. | 9: 129; 10: 93 |
| Bilay, V. T. | 5: 49 | Herrera, T. | 5: 83 |
| Bis'ko, N. A. | 5: 49 | Huerta-Palacios, G. | 8: 27; 9: 95; 12: 67 |
| Bonilla, M. | 10: 21; 11: 35; 11: 77; 12: 23 | Isikhuemhen, O. S. | 12: 9 |
| Bouyssounade, D. | 9: 125 | Jong, S.-C. | 11: 1 |
| Brizuela, M. A. | 2: 3 | Juárez, S. | 9: 15 |
| Calvo-Bado, L. A. | 8: 27; 9: 95 | Kachroo, J. L. | 2: 41 |
| Cancela, G. | 8: 47; 12: 59 | Kaul, T. N. | 1: 55 |
| Carrión, G. | 1: 79; 10: 57 | Klibansky, M. | 9: 107 |
| Castillo, F. | 12: 41 | Lambraki, M. | 7: 23; 9: 1 |
| Cortés-Fernández, J. | 6: 15 | Lappe, P. | 5: 1; 6: 109; 8: 1 |
| Cruz, D. | 12: 41 | Larqué-Saavedra, A. | 4: 111; 5: 59; 8: 53; 8: 77; 9: 15; 11: 35; 11: 77; 12: 23 |
| Chacón, S. | 1: 45; 1: 87 | Leal, H. | 9: 29; 9: 67 |
| Chen, M.-J. | 11: 1 | Leatham, G. F. | 1: 5 |
| Chi, Z. N. | 6: 127 | Leonard, T. J. | 1: 5 |
| De Araújo, A. A. | 11: 23 | Lesage-Meessen, L. | 11: 69 |
| De Bauer, L. I. | 4: 99; 8: 39 | Li, F. G. | 4: 63; 6: 127 |
| Díaz-Garcés, J. | 8: 1 | Liao, J. H. | 3: 1; 4: 63; 6: 127 |
| Dick, S. | 1: 5 | Lin, X.-F. | 11: 1 |
| Estrada, A. | 8: 73 | Lomascolo, A. | 11: 69 |
| | | Lonsane, B. K. | 4: 19; 4: 83; 6: 1; 6: 15; 6: 41 |

| | | | |
|------------------------------------|--|-------------------------|--|
| López, L. | 8: 65 | Ogboe, E. M. | 12: 9 |
| López-Canales, A. | 4: 49 | Okhuoya, J. A. | 12: 9 |
| López-López, M. A. | 11: 9 | Olmos, A. | 2: 3 |
| López-Malo, A. | 8: 73 | Oriol, E. | 4: 49 |
| López-Nolasco, J. E. | 8: 39 | Orozco-García, J. P. | 9: 81 |
| López-Olivares, C. R. | 3: 31; 3: 53 | Ortuño, L. | 7: 43; 7: 51 |
| Lu, S.-I. | 1: 5 | Osada Kawasoe, S. | 8: 39 |
| Marakis, S. | 7: 5; 7: 23; 9: 1 | Padmanabhan, S. | 6: 41 |
| Marin, B. | 6: 27 | Palacios, S. | 9: 29 |
| Martínez-Carrera, D. | 1: 21; 1: 71; 2: 19; 2: 53; 3: 13; 3: 49; 4: 9; 4: 41; 4: 75; 5: 11; 5: 59; 5: 89; 6: 81; 6: 95; 6: 137; 8: 53; 8: 77; 9: 15; 9: 43; 10: 21; 10: 63; 10: 93; 11: 35; 11: 77; 12: 23 | Pan, Y.-J. | 11: 1 |
| Martínez, W. | 4: 75; 8: 53; 8: 77; 9: 15; 9: 43; 10: 63; 11: 77; 12: 23 | Paredes, P. | 9: 67 |
| Martínez-Soto, G. | 11: 53 | Paredes-López, O. | 11: 53 |
| Medel, R. | 1: 87 | Parra, F. | 6: 81 |
| Mercuri, O. A. | 12: 1 | Pegler, D. N. | 10: 63 |
| Miles, P. G. | 10: 3 | Pérez, Y. | 9: 107 |
| Mitchell, D. | 7: 17 | Pérez-Blancas, A. | 8: 47 |
| Molina, J. D. | 12: 41 | Pérez-Moreno, J. | 1: 97; 2: 77; 2: 123; 2: 131; 4: 119; 11: 9 |
| Montiel, E. | 8: 65 | Pérez-Silva, E. | 5: 83 |
| Mora, V. M. | 8: 65 | Pieckenstain, F. | 12: 1 |
| Morales, P. | 1: 71; 2: 19; 2: 53; 3: 13; 3: 49; 4: 9; 4: 41; 4: 75; 5: 89; 6: 81; 6: 137; 7: 43; 7: 51; 8: 53; 8: 77; 9: 43; 9: 125; 9: 129; 10: 63; 11: 77 | Padmanabhan, S. | 6: 41 |
| Moukha, S. | 11: 69 | Plassard, C. | 11: 23 |
| Mousain, D. | 11: 23 | Portugal, D. | 8: 65 |
| Müller, J. | 1: 29; 10: 15 | Pyle, L. | 2: 67 |
| Navarro, M. | 9: 117; 11: 35 | Raimbault, M. | 4: 19; 4: 49; 4: 83; 6: 27 |
| Nieto-López, C. | 10: 47 | Ramana Murthy, M. V. | 6: 41 |
| Ocaña-Camacho, R. ^(RIP) | 11: 53 | Ramírez, R. | 9: 29; 9: 67 |
| | | Ramos, J. M. | 12: 59 |
| | | Rangel, J. I. | 9: 29 |
| | | Reyna, S. | 10: 57 |
| | | Rinker, D. L. | 4: 1; 6: 73 |
| | | Robinson-Fuentes, V. A. | 8: 47; 9: 129 |
| | | Rodríguez, W. | 2: 3 |
| | | Rodríguez, O. | 6: 61; 10: 83 |
| | | Roussos, S. | 2: 3; 4: 19; 4: 49; 4: 83; 6: 15; 6: 27; 6: 95; 7: 23; 9: 1; 11: 23 |
| | | Rubio Monroy, M. T. | 5: 1 |
| | | Sánchez, S. | 9: 29 |
| | | Sánchez-Hernández, M. | 6: 81 |
| | | Sánchez-Jácome, M. R. | 9: 81 |

- Sánchez-Vázquez, J. E. **8:** 27; **9:** 95; **10:** 47; **12:** 67
- Saucedo-Castañeda, G. **4:** 19; **4:** 83
- Serrano-Carreón, L. **6:** 15
- Siman, G. **2:** 67
- Sobal, M. **1:** 21; **2:** 19; **2:** 53; **3:** 49; **4:** 9; **4:** 111; **5:** 59; **6:** 81; **6:** 137; **7:** 43; **7:** 51; **8:** 53; **8:** 77; **9:** 15; **9:** 43; **9:** 117; **9:** 125; **9:** 129; **10:** 21; **10:** 63; **10:** 93; **11:** 35; **11:** 77; **12:** 23
- Soccol, C. R. **6:** 27
- Soto-Hernández, M. **4:** 111; **5:** 59
- Spinedi, H. A. **8:** 21
- Srinivas, M. R. S. **6:** 1
- Stephenson, S. L. **7:** 17
- Stobbs, L. W. **6:** 73
- Taboada, J. **8:** 1
- Tang, Q. **11:** 1
- Traba, J. A. **7:** 47
- Trejo-Hernández, M. R. **4:** 49
- Trigos, A. **3:** 41; **5:** 11; **6:** 105; **7:** 43; **7:** 51; **8:** 47; **8:** 73; **9:** 125; **9:** 129; **10:** 57; **10:** 93; **12:** 59
- Triratana, S. **5:** 17
- Ulloa, M. **5:** 1; **6:** 109; **8:** 1
- Vázquez, L. S. **6:** 61
- Velázquez-Martínez, A. **11:** 9
- Verdecia, M. J. **7:** 47
- Vergara, F. **9:** 15
- Villa Cruz, V. **12:** 67
- Villanueva, C. **10:** 73; **12:** 41
- Villarreal, L. **1:** 97; **2:** 77; **2:** 123; **2:** 131; **3:** 67; **4:** 119
- Viniegra, G. **2:** 3
- Viniegra-González, G. **4:** 19; **4:** 49; **4:** 83; **6:** 15
- Wang, H. C. **3:** 19; **4:** 63; **5:** 29; **6:** 127
- Wang, Z. S. **3:** 1; **3:** 19; **4:** 63; **5:** 29; **6:** 127
- Yan, P.-L. **11:** 1
- Yindeeyoungyeon, W. **5:** 17
- Zamudio-Sánchez, F. J. **3:** 53
- Zaror, C. **2:** 67
- Zavaleta, E. **12:** 41
- Zayas, T. **7:** 43
- Zervakis, G. **5:** 39
- MNA (ISSN 0187-8921) Subject index, volumes 1-12 (1988-1999)**
- Abies religiosa* **11:** 9
- Abnormal strains **4:** 63
- Acaulospora* **2:** 115
- appendiculata*
- Acaulospora laevis* **2:** 115
- Acaulospora* **2:** 115
- scrobiculata*
- Aeration flow **7:** 24
- Agar film technique **2:** 67
- Agaricaceae* **1:** 55; **5:** 67
- Agaricales* **6:** 61
- Agarics **5:** 67; **7:** 35
- Agaricus* **9:** 16; **9:** 30; **10:** 21; **10:** 33; **12:** 24
- Agaricus bisporus* **2:** 19; **3:** 1; **3:** 20; **5:** 89; **6:** 127; **10:** 21
- Agaricus bitorquis* **2:** 19; **6:** 127
- Agaricus silvicola* **8:** 73
- Agricultural by-products **12:** 10
- Agroecosystem **2:** 115
- Agro-industrial wastes **8:** 27; **9:** 96
- Alkaloid determination **3:** 41
- Alnus acuminata* **4:** 75
- ssp. arguta*

| | | | |
|-------------------------------|----------------------|--|---------------------|
| Alpha-galactosidase | 6: 2 | Benzaldehyde | 11: 70 |
| <i>Alternaria</i> | 8: 39 | Biodegradation | 5: 49 |
| <i>Amanita</i> | 2: 41; 5: 83 | Biological, ecological and cultural diversity | 2: 77 |
| <i>Amanita citrina</i> | 2: 41 | Biomass | 2: 67 |
| <i>Amanita excelsa</i> | 2: 41 | concentrations | |
| <i>Amanita flavoconia</i> | 9: 82 | Black kidney bean | 6: 137 |
| <i>Amanita francheti</i> | 2: 41 | stubble | |
| <i>Amanita fulva</i> | 6: 105 | Blood | 6: 16 |
| <i>Amanita rubescens</i> | 2: 41; 6: 105; 8: 73 | <i>Bolbitiaceae</i> | 1: 55 |
| <i>Amanita tuza</i> | 5: 83 | <i>Boletus edulis</i> | 6: 105 |
| <i>Amanita verna</i> | 9: 82 | <i>Boletus erythropus</i> | 8: 73 |
| <i>Amanita vittadinii</i> | 2: 41 | <i>Boletus flammans</i> | 9: 82 |
| American matsutake | 2: 131 | <i>Boletus pinicola</i> | 6: 105 |
| <i>Amylomyces rouxii</i> | 2: 67 | <i>Boletus</i> sp. | 3: 32 |
| <i>Antromycopsis smithii</i> | 8: 21 | <i>Boletus</i> spp. | 9: 82 |
| anamorph | | <i>Botriosphaeria</i> | 1: 87 |
| <i>Antromycopsis smithii</i> | 4: 9 | <i>rhodina</i> | |
| Aphyllophorales | 6: 61 | Breeding | 10: 15 |
| Apical growth | 11: 24 | Broad bean stubble | 6: 137 |
| Applied research | 10: 4 | “Búlgaros” as starter | 8: 2 |
| Argentina | 10: 33 | culture | |
| <i>Armillariella</i> | 12: 24 | “Búlgaros” | 6: 110 |
| <i>Artemisia mexicana</i> | 5: 83 | <i>Bursera simaruba</i> | 1: 21; 4: 41; 4: 75 |
| Ascomycete | 6: 61 | <i>Calvatia</i> | 12: 24 |
| <i>Aspergillus</i> | 4: 1; 6: 2 | <i>Candida kefyri</i> | 6: 109; 8: 2 |
| <i>Aspergillus awamori</i> | 6: 2 | <i>Candida lambica</i> | 8: 2 |
| <i>Aspergillus</i> | 7: 5; 7: 24; 9: 2 | <i>Candida lipolytica</i> | 8: 2 |
| <i>carbonarius</i> | | <i>Camillea mucronata</i> | 1: 87 |
| <i>Aspergillus niger</i> | 2: 3; 4: 49; 6: 2; | <i>Candida valida</i> | 5: 1; 6: 109; 8: 2 |
| | 6: 16 | Canning | 9: 16; 11: 36 |
| <i>Aspergillus oryzae</i> | 6: 42 | <i>Cantharellaceae</i> | 1: 97 |
| <i>Aspergillus terreus</i> | 2: 3 | <i>Cantharellus odoratus</i> | 8: 47 |
| <i>Auricularia</i> | 12: 24 | Carob bean | 9: 2 |
| <i>Auricularia</i> | 2: 19; 8: 27; 9: | Carob | 7: 24 |
| <i>fuscusuccinea</i> | 96; 10: 47 | Casing material | 9: 30 |
| <i>Auricularia polytricha</i> | 2: 19 | Cellulases production | 4: 20 |
| <i>Bacillus</i> | 6: 2; 8: 39 | Cellulases | 4: 84 |
| Bacteria | 5: 1; 6: 95; 6: | <i>Celluloderma</i> | 10: 83 |
| | 110; 8: 2; 8: 39 | Cellulose | 5: 49 |
| <i>Badhamia foliicola</i> | 3: 67 | <i>Cenococcum</i> aff. | 3: 32 |
| Barley straw | 5: 60 | <i>graniforme</i> | |
| Basic research | 10: 4 | <i>Ceratiomyxa</i> | 3: 67 |
| <i>Basidiomycetes</i> | 11: 70 | <i>sphaerosperma</i> | |
| <i>Basidiomycotina</i> | 8: 21 | | |

| | | | |
|----------------------------------|--|-------------------------------------|--|
| Cerevisterol | 10: 57 | Ectomycorrhizae | 3: 32 |
| <i>Clavariadelphus truncatus</i> | 8: 73 | Ectomycorrhizal fungi | 9: 82; 11: 24 |
| Clavarioid fungi | 4: 119 | Ecuador | 7: 17 |
| <i>Clitocybe aff. catervata</i> | 9: 82 | Edible mushrooms | 2: 19; 6: 82; 7: 43; 8: 53; 10: 4; 10: 47; 11: 78; 12: 24 |
| <i>Coffea</i> | 9: 96 | Effluents | 10: 47 |
| Coffee pulp | 1: 21; 3: 49; 4: 111; 5: 60; 6: 95; 9: 44; 12: 68 | <i>El Ajusco</i> | 4: 99 |
| Coffee rust | 1: 79 | Endomycorrhiza (V-A) | 2: 115 |
| <i>Cofre de Perote</i> region | 3: 41 | Endomycorrhizal fungi | 9: 54 |
| Cold-shock | 11: 1 | <i>Enteridium</i> | 2: 77 |
| Colombia | 5: 89 | Enzyme activity | 5: 49 |
| Commercial hybrid | 8: 77 | Enzyme kinetics | 6: 42 |
| Commercial production | 9: 68 | Enzyme leaching | 6: 42 |
| Comparative production | 6: 42 | Enzyme properties | 6: 42 |
| Conidiospore conservation | 2: 3 | 5a-ergosta-7,22-diene-3b,5,6b-triol | 10: 57 |
| Conidiospore production | 2: 3 | Ergosta-22-en-3b,5a,6a-triol | 12: 59 |
| Conservation | 11: 36 | Ergosta-7,22-dien-3b,5a,6a-triol | 12: 59 |
| <i>Coprinaceae</i> | 5: 67 | Ergosta-7,22-dien-3b,5a-diol | 12: 59 |
| <i>Cordyceps</i> | 6: 61 | Ergosterol | 5: 11; 6: 105; 7: 43; 7: 51; 9: 125; 9: 130; 10: 93 |
| Corn cobs | 12: 68 | <i>Erwinia</i> | 8: 35 |
| <i>Cortinarius</i> | 6: 61 | Ethylene | 4: 111; 5: 60 |
| <i>Cotinariaceae</i> | 5: 67 | Ethnoecological knowledge | 1: 45 |
| <i>Cribraria atrofusca</i> | 3: 67 | Feathers | 6: 16 |
| Crop rotation | 9: 54 | Fermentation | 5: 1; 6: 16 |
| Cross breeding | 3: 1 | Fermented foods | 8: 2 |
| <i>Cryptococcus albidus</i> | 5: 1 | Fertilization levels | 2: 115 |
| Cuba | 7: 47 | Filamentous fungi | 2: 3; 6: 16 |
| Cultivation | 4: 9; 5: 39 | Financial analysis | 6: 82 |
| Culture collection | 12: 24 | <i>Flammulina velutipes</i> | 2: 19 |
| Culture media | 11: 24 | Flax shive | 4: 1 |
| Cholesterol | 12: 1 | Forest decline | 11: 9 |
| Defoliation rate | 1: 79 | Fruit bodies | 9: 130; 10: 93 |
| Degree of infection | 1: 79 | Fruiting bodies | 1: 71; 2: 53 |
| Deodorization | 6: 16 | Fungal alpha-amylase | 6: 42 |
| <i>Diderma ochraceum</i> | 3: 67 | Fungal spore germination | 7: 5 |
| Differentiation | 4: 9 | | |
| Dikaryotic strains | 1: 71 | | |
| dsRNA | 6: 73 | | |
| Economic analysis | 6: 82 | | |

| | | | |
|----------------------------|-------------------------------|-------------------------------|---|
| Fungi | 5: 67; 6: 95; 7: 35; 8: 39 | Intoxication | 5: 83 |
| <i>Ganoderma</i> | 12: 24 | Isolates from soil | 6: 2 |
| <i>Geastrum</i> sp. | 9: 82 | Isozyme analysis | 3: 1 |
| Genetic improvement | 1: 5; 10: 21 | Isozyme identification | 6: 127 |
| Genetic potential | 1: 29 | Isozyme patterns | 3: 20; 5: 29 |
| Genetic variation | 5: 29 | Jalisco | 6: 61; 10: 83 |
| Geographic distribution | 7: 17 | Kashmir | 1: 55; 2: 41; 5: 67; 7: 35 |
| <i>Geotrichum candidum</i> | 8: 2 | Kefir-like | 6: 110 |
| Germplasm | 10: 21; 12: 24 | microbiogloae | |
| preservation | | <i>Kluyveromyces</i> | 6: 109; 8: 2 |
| <i>Gigaspora</i> sp. | 2: 115 | <i>marxianus</i> var. | |
| <i>Glomus</i> | 2: 115 | <i>marxianus</i> | |
| <i>microaggregatum</i> | | <i>Kuehneromyces</i> | 1: 29 |
| <i>Glomus mosseae</i> | 2: 115 | <i>mutabilis</i> | |
| <i>Gomphaceae</i> | 1: 55 | La Plata, Argentina | 8: 21 |
| <i>Gomphidiaceae</i> | 1: 97 | La Trinidad | 2: 115 |
| <i>Gomphus floccosus</i> | 6: 105; 8: 73 | <i>Lactarius deliciosus</i> | 6: 105 |
| Growth kinetics | 2: 67 | <i>Lactarius mexicanus</i> | 8: 47 |
| <i>Gymnopus</i> | 12: 24 | <i>Lactarius salmonicolor</i> | 6: 105; 8: 73 |
| Hairs | 6: 16 | <i>Lactarius</i> | 11: 24 |
| <i>Heliocarpus</i> | 4: 75 | Lactic acid fermentation | 6: 110 |
| <i>donnell-smithii</i> | | Lactic fermentation | 8: 2 |
| <i>Helvellaceae</i> | 1: 9 | of maize | |
| <i>Hemileia vastratix</i> | 1: 79 | <i>Lactobacillus</i> | 8: 2 |
| <i>Hispidoderma</i> | 10: 83 | <i>Lactococcus</i> | 8: 2 |
| History | 5: 89 | <i>Lachnocladium</i> | 2: 123 |
| Homokaryotic cultures | 3: 1 | <i>schweinfurthianum</i> | |
| Homokaryotic fruiting | 10: 15 | <i>Lachnocladium</i> | 2: 123 |
| “Huitlacoche” | 10: 73; 12: 41 | <i>Laetiporus</i> | 12: 24 |
| Human food | 10: 73 | <i>Lamproderma</i> | 3: 67 |
| Hurdle technology | 9: 16 | <i>muscorum</i> | |
| Hybrid strains | 3: 20 | Large-scale drying | 9: 44 |
| Hybrids | 9: 117 | <i>Leccinum aurantiacum</i> | 6: 105 |
| <i>Hydnellum</i> | 6: 61 | Leguminous seed | 6: 2 |
| <i>Hydnellum</i> | 6: 61 | samples | |
| <i>aurantiacum</i> | | <i>Lentinula</i> | 12: 24 |
| Hyphal interaction | 5: 17 | <i>Lentinula edodes</i> | 2: 19; 3: 13; 4: 41; 4: 75; 5: 17; 5: 89 |
| India | 1: 55; 2: 41; 5: 67; 7: 35 | <i>Lentinus</i> | 12: 24 |
| <i>Inga</i> | 9: 96 | <i>Lentinus edodes</i> | 1: 29; 4: 63 |
| Inoculation | 12: 41 | <i>Lentinus lepideus</i> | 2: 19 |
| Integral research | 2: 77 | <i>Lentinus levis</i> | 10: 63 |
| Interstock mating | 1: 21 | <i>Leucaena</i> | 8: 27; 9: 96 |

- Lignicolous ascomycetes **1: 87**
- Lignin **5: 49**
- Lignocellulose **1: 5**
degrading ability
- Lignocellulosic substrates **5: 49**
- Linum usitatissimum* **4: 1**
- Lophodermium* **4: 99**
- Lovastatin **12: 1**
- Low density polyethylene film **11: 54**
- Low temperature storage **8: 65**
- Lycoperdon* **2: 77**
- Lycoriella* **8: 39**
- Macrotyphula juncea* **4: 119**
- Maize (*Zea mays*) **2: 115**
culture
- Maize cultivar **12: 41**
- Mannitol **8: 47**
- Mating combination **3: 1**
- Mating system **4: 9**
- Meat scraps **6: 16**
- Melogramma bulliardii* **1: 87**
- Methylanthranilate **11: 70**
- Mevinolin **12: 1**
- Mexican tropic **2: 123**
- Mexico **1: 45; 1: 71; 1: 79; 1: 87; 1: 97; 2: 77; 2: 115; 2: 131; 3: 13; 3: 41; 3: 67; 4: 9; 4: 41; 4: 75; 4: 99; 4: 119; 5: 83; 6: 82; 6: 105; 6: 137; 8: 53; 8: 73; 8: 77; 9: 16; 9: 30; 9: 44; 9: 68; 9: 117; 10: 21; 10: 63; 10: 83; 11: 9; 11: 36; 11: 78; 12: 24**
- Mineral salts **9: 2**
- Modified atmosphere packaging **11: 54**
- Monosporous isolates **5: 29**
- Monoveliangiocarpic ontogenic development **2: 131**
- Morphological and physiological variation **1: 71**
- Morphology **3: 32**
- mRNA differential display **11: 1**
- Multivariate analysis **3: 54**
- Mushroom breeding **12: 24**
- Mushroom cultivation **3: 13; 3: 49; 4: 41; 4: 75; 5: 89; 6: 137; 7: 47; 9: 44; 9: 96; 10: 21; 10: 63; 12: 10; 12: 68**
- Mushroom diseases **8: 39**
- Mushroom industry **12: 24**
- Mushroom production **9: 30**
- Mushroom yield **9: 107**
- Mushrooms **3: 41; 5: 39**
- Mycelial development **2: 19**
- Mycelial form **7: 5**
- Mycelial growth **8: 27**
- Mycobiota **6: 61**
- Mycorrhizae **3: 54**
- Mycorrhizal macrofungi **11: 9**
- Myxomycetes* **1: 97; 3: 67; 7: 17**
- Natural fermentation **6: 95**
- Natural productivity **2: 131**
- Neotropics **3: 67**
- Nitrogen source **6: 16**
- Nitschka grevillei* **1: 87**
- NPK fertilizer **12: 10**
- Nutritional value **8: 73**
- Ontogenic development **4: 119**
- Organic substrate **9: 125**
- Oxidants **4: 99**
- Oyster mushroom **4: 1; 6: 73; 9: 107; 11: 54**
- Ozone **4: 99**
- Packed mushrooms **2: 53**
- Pasteurized substrates **5: 60; 6: 137**

| | | |
|------------------------------|---|--|
| Pectinases | 4: 49 | 2: 19; 2: 53; 3: 49; |
| <i>Penicillium</i> | 4: 1; 6: 2; 8: 2; 8: 39 | 4: 1; 4: 111; 5: 11; 5: 39; 5: 49; 5: 59; |
| Peroxide of ergosterol | 5: 11; 12: 59 | 6: 137; 7: 43; 7: 51; 8: 39; 8: 65; 8: 77; 9: 117; 9: 130; |
| Peru | 7: 17 | 10: 15; 10: 47; 10: 63; 10: 93; 11: 54; 12: 1; 12: 68 |
| pH | 2: 19 | |
| <i>Phaseolus vulgaris</i> | 6: 137 | |
| <i>Phylloporus</i> | 9: 82 | |
| <i>phaeoxanthus</i> | | |
| <i>Physarum gyrosum</i> | 3: 67 | <i>Pleurotus pulmonarius</i> 5: 39; 6: 73 |
| <i>Physarum notabile</i> | 3: 67 | <i>Pleurotus sajor-caju</i> 2: 19; 5: 39; 7: 43; |
| Physiology | 4: 9; 4: 111; 5: 60; 11: 24 | 9: 125; 10: 93 |
| Phytohormones | 9: 107 | <i>Pleurotus</i> 2: 19 |
| <i>Pichia kluyveri</i> | 5: 1 | <i>salmoneo-stramineus</i> |
| <i>Pichia</i> | 6: 110; 8: 2 | <i>Pleurotus saca</i> 12: 1 |
| <i>membranaefaciens</i> | | <i>Pleurotus sapidus</i> 12: 1 |
| <i>Pimenta dioica</i> | 5: 83 | <i>Pleurotus smithii</i> 8: 21 |
| <i>Pinus caribaea</i> | 3: 54 | teleomorph |
| <i>Pinus caribaea</i> var. | 3: 32; 3: 54 | <i>Pleurotus smithii</i> 4: 9 |
| <i>hondurensis</i> | | <i>Pleurotus</i> sp. 7: 43; 7: 47; 10: 93 |
| <i>Pinus hartwegii</i> | 4: 99 | <i>cf. florida</i> |
| <i>Pisolithus tinctorius</i> | 3: 32; 9: 82 | <i>Pleurotus tuberregium</i> 12: 10 |
| <i>Pisolithus</i> | 11: 24 | <i>Pluteus</i> 10: 83 |
| <i>Plantago linearis</i> | 5: 83 | <i>Pluteus chrysopheus</i> 10: 83 |
| var. <i>villosa</i> | | <i>Pluteus</i> 10: 83 |
| <i>Plantago major</i> | 5: 83 | <i>neophlebophorus</i> |
| <i>Platanus acerifolia</i> | 8: 21 | <i>Pluteus nigrolineatus</i> 10: 83 |
| <i>Pleurotaceae</i> | 5: 67; 8: 21 | <i>Polyporales</i> 8: 21 |
| <i>Pleurotus</i> | 1: 29; 4: 1; 5: 89; 6: 82; 7: 47; 8: 39; 8: 53; 9: 16; 9: 44; 9: 68; 9: 107; 9: 117; 9: 130; 10: 15; 10: 63; 10: 93; 11: 78; 12: 24 | Popular markets 2: 77 |
| <i>Pleurotus</i> "florida" | 2: 19 | Post-harvest viability 2: 53 |
| <i>Pleurotus cornucopiae</i> | 12: 1 | Processing 11: 36 |
| <i>Pleurotus eryngii</i> | 2: 19; 5: 39 | Production 4: 1 |
| <i>Pleurotus levis</i> | 2: 19 | <i>Pseudomonas</i> 8: 39 |
| <i>Pleurotus opuntiae</i> | 2: 19 | <i>Pterula fluminensis</i> 2: 123 |
| <i>Pleurotus</i> | 7: 43; 10: 93 | <i>Pterula</i> 2: 123 |
| <i>ostreatoroseus</i> | | Pure strains 9: 82 |
| <i>Pleurotus ostreatus</i> | 1: 21; 1: 29; 1: 71; | <i>Pycnoporus</i> 11: 70 |
| | | <i>cinnabarinus</i> |
| | | <i>Quercus</i> 2: 77; 3: 13; 4: 41; 4: 75 |
| | | <i>Ramaria flava</i> 6: 105 |
| | | <i>Ramaria</i> 6: 105; 8: 73 |
| | | <i>rubripermanens</i> |
| | | Raw cassava 6: 27 |

- Rehydrated mushrooms **2: 53**
- Rhizobium* **9: 107**
- Rhizopus* **8: 39**
- Rhizopus arrhizus* **6: 27**
- Rhodophyllus clypeatus* **6: 105**
- Rhodotorula rubra* **8: 2**
- Rhynchosporium* **8: 39**
- Rice hulls **9: 30**
- Ricinus communis* **1: 21**
- RNA **11: 1**
- Rural communities **11: 36**
- Rural cultivation **6: 82; 8: 53; 11: 78**
- Rural development **9: 16; 12: 24**
- Russula* aff. *emetica* **8: 47**
- Russula brevipes* **8: 73**
- Russula olivacea* **6: 105; 8: 47; 12: 59**
- Russula subfoetens* **9: 82**
- var. *grata*
- Russula* **6: 61**
- Russulaceae* **5: 67**
- Saccharomyces* **5: 1; 6: 109; 8: 2**
- cerevisiae*
- Saprotrophic **11: 9**
- macrofungi
- Sawdust **4: 41**
- Scale-up **4: 84**
- Scanning electron **6: 27**
- microscopy
- Sclerocystis* sp. **2: 115**
- Sclerotia **12: 10**
- Sclerotium rolfsii* **12: 9**
- Scutellinia cubensis* **1: 87**
- Scutellospora* **2: 115**
- calospora*
- Scutellospora* sp. **2: 115**
- Schizophyllum* **1: 45**
- commune*
- Schizosaccharomyces* **5: 1**
- pombe*
- Schizoxylon* **1: 87**
- pruiniferum*
- Segregation and **3: 20**
- recombination
- Shiitake **4: 41; 4: 75; 5: 17**
- Socio-economic **8: 53**
- analysis
- Sodium acetate **9: 130**
- Solid fermentation **12: 68**
- Solid state fermentation **4: 20; 4: 49; 4: 84; 6: 2; 6: 27; 6: 42; 7: 24; 9: 2**
- Somatic incompatibility **5: 17**
- South America **7: 17**
- Sowing date **12: 41**
- Sparassidaceae* **1: 97**
- Sparassis crispa* **6: 105**
- Spawn production **10: 33**
- Spore prints **8: 65**
- Sporocarp phenology **2: 131**
- Sporophore **12: 10**
- Sporulation physiology **2: 3**
- State of Chiapas **1: 97; 2: 123**
- State of Mexico **2: 115**
- State of Oaxaca **3: 31; 3: 53**
- State of Veracruz **1: 45; 1: 71; 1: 79; 1: 87; 2: 77; 2: 123; 2: 131; 3: 41; 6: 61**
- Stemonitis nigrescens* **3: 67**
- Sterols **12: 59**
- Stizolobium* **9: 54**
- Strain characteristics **3: 20; 5: 29**
- Strain selection **9: 68**
- Strains **1: 21**
- Straw mushroom **11: 1**
- Streptococcus* spp. **6: 110**
- Strobilomycetaceae* **1: 97**
- Stropharia* **12: 24**
- Stropharia* **1: 29**
- rugoso-annulata*
- Strophariaceae* **5: 67**
- Submerged culture **10: 47**
- Substrate **5: 39**
- Sugar beet pulp **4: 20**
- Sugar cane bagasse **4: 20; 4: 84**
- Sugar cane **3: 49**
- Sugary kefir **5: 1**

| | | | |
|--------------------------------------|----------------------------|---------------------------|--------------------------|
| <i>Suillus tomentosus</i> | 8: 73 | Wild strains | 10: 21 |
| <i>Suillus</i> | 11: 24 | Yeasts symbiosis | 6: 110 |
| Sun-dried coffee pulp | 7: 47 | Yeasts | 5: 1; 6: 95; 8: 2 |
| Supplementation | 12: 10 | Young ear size | 12: 41 |
| Sustainability | 11: 78 | <i>Yucca elephantipes</i> | 1: 21 |
| Sustainable agriculture | 9: 54; 11: 78 | | |
| Tannic acid | 7: 5 | | |
| Tannin degradation | 7: 24; 9: 2 | | |
| Tannins | 7: 24 | | |
| Temperature | 5: 39; 7: 24 | | |
| <i>Thelephoraceae</i> | 1: 97 | | |
| Tibi grains | 5: 1 | | |
| Total sugars | 9: 2 | | |
| Traditional medicine | 5: 83 | | |
| Traditional agriculture | 11: 78 | | |
| Traditional use | 1: 45 | | |
| <i>Trichia erecta</i> | 3: 67 | | |
| <i>Trichoderma</i> | 2: 3; 4: 20; 4: 84; | | |
| <i>harzianum</i> | 6: 16 | | |
| <i>Trichoderma</i> | 4: 1; 8: 39 | | |
| <i>Tricholoma</i> | 2: 131 | | |
| <i>magnivelare</i> | | | |
| <i>Tricholoma sejunctum</i> | 6: 105 | | |
| <i>Tricholoma virgatum</i> | 6: 105 | | |
| <i>Tricholomataceae</i> | 5: 67 | | |
| <i>Tylopilus</i> aff. <i>gomezii</i> | 9: 82 | | |
| <i>Typhula capitata</i> | 4: 119 | | |
| <i>Ustilago maydis</i> | 10: 73; 12: 41 | | |
| <i>Valeriana vaginata</i> | 5: 83 | | |
| Vanillin | 11: 70 | | |
| <i>Verticillium lecanii</i> | 1: 79; 10: 57 | | |
| <i>Verticillium malthousei</i> | 12: 9 | | |
| <i>Vicia faba</i> | 6: 137 | | |
| Virus disease | 6: 73 | | |
| Virus-like particles | 4: 63 | | |
| <i>Volvariella</i> | 12: 24 | | |
| <i>Volvariella volvacea</i> | 2: 19; 5: 29; 11: 1 | | |
| Wheat bran | 4: 20; 6: 42 | | |
| Wheat bran medium | 6: 2 | | |
| Wild edible fungi | 2: 77 | | |
| Wild edible mushrooms | 11: 36 | | |
| Wild isolates | 6: 127 | | |
| Wild mushrooms | 6: 105; 8: 73 | | |
| Wild species | 10: 33 | | |

ACKNOWLEDGEMENTS

MNA indexes were made with the kind and skilful assistance of M. Bonilla-Quintero and E. Pellicer-González, CP, Mexico.