



MICOLOGIA APLICADA INTERNACIONAL

INDEXES FOR VOLUMES 16, 17, AND 18 (2004-2006)

THE EDITORS

AUTHOR INDEX

Abdullah, M.	18:15	Martínez-Carrera, D.	16:34; 17:9; 18:37
Abdullah, N.	16:7; 18:15	Mayett, Y.	17:9
Agho, M.	16:34	Nadeem, M.	17:5
Alim-un-Nisa	18:15	Nasreen, Z.	17:5
Augur, C.	18:29	Nava, D.	17:9
Bajwa, R.	17:5	Nieto de Pascual-Pola, C.	16:13
Boa, E.	16:25	Ohga, S.	18:21
Bonilla, M.	17:9	Pokhrel, C. P.	18:21
Castellanos-Onorio, O.	18:3	Postemsky, P.	18:7
Curvetto, N.	18:7	Rai, R. D.	16:1
de Román, M.	16:25	Roussos, S.	18:29
Ejaz, N.	16:7; 18:15	Salinas, A.	18:3
Espinoza, C.	18:3	Singh, S. K.	16:1
Figlas, D.	18:7	Sobal, M.	17:9
Firdous, S.	18:15	Sumikawa, S.	18:21
Gaime-Perraud, I.	18:29	Tiwari, M.	16:1
González Matute, R.	18:7	Trigos, Á.	17:1; 18:3
Hassouni, H.	18:29	Upadhyay, R. C.	16:1
Ída, S.	18:21	Yáñez-Morales, M. J.	18:3
Ismaili-Alaoui, M.	18:29	Yongabi, K.	16:34
Kamal, S.	16:1	Zamora-Martínez, M. C.	16:13
Kausar, T.	17:5		
Khan, A. D.	16:7		
Kurtzman, Jr., R. H.	16:24; 17:21; 18:1; 18:13	SUBJECT INDEX	
López-Reyes, E. E.	17:1	<i>Acremonium</i>	16:1
Martínez, L. C.	17:1	<i>Agaricus</i>	17:10, 28, 29; 18:14, 37

<i>Agaricus arvensis</i>	16:27	<i>Calocybe indica</i>	18:37
<i>Agaricus bitorquis</i>	16:35	Cameroon	16:34
<i>Agaricus campestris</i>	16:27, 35	<i>Cantharellus cibarius</i>	16:18, 25
<i>Agaricus silvaticus</i>	16:18	<i>Cantharellus lutescens</i>	16:27
<i>Agaricus silvicola</i>	16:18	<i>Cantharellus tubaeformis</i>	16:27
<i>Agrobacterium tumefaciens</i>	18:3	Cellulose	16:7; 18:15
<i>Agrocybe aegerita</i>	16:27	Cheese-soft, blue	17:31
Airag	17:31	Chitin	17:21
<i>Alternaria alternata</i>	16:5	Chitosans	17:21
<i>Amanita</i> spp.	16:35	<i>Chlorophyllum molybdites</i>	16:35
<i>Amanita caesarea</i>	16:18, 27; 17:14	<i>Cladosporium</i>	16:1
<i>Amanita citrina</i>	16:18	<i>Clathrus</i> spp.	16:35
<i>Amanita ponderosa</i>	16:27	<i>Clavaria</i> spp.	16:18
<i>Amanita rubescens</i>	16:18; 17:14	<i>Clavariadelphus occidentalis</i>	16:18
<i>Amanita vaginata</i>	16:18	<i>Clavulina cinerea</i>	16:18
Amino acids	17:21	<i>Clitocybe geotropa</i>	16:27
Antibiotic activity	18:3	<i>Clitocybe gibba</i>	16:18
<i>Armillaria mellea</i>	16:27	<i>Clitocybe nebularis</i>	16:27
Ascorbic acid	17:30	<i>Clitocybe odora</i>	16:18
<i>Aspergillus ficuum</i>	18:29	<i>Collybia dryophila</i>	16:18; 17:14
<i>Auricularia auricula</i>	16:35	Composting	18:13, 21
<i>Auricularia</i> spp.	18:37	<i>Coprinus comatus</i>	16:27
<i>Bacillus sphaericus</i>	16:1	<i>Cortinarius</i> spp.	16:18
Bactericidal activity	18:3	<i>Corylus avellana</i>	16:25
Bacteriostatic activity	18:3	<i>Craterellus cornucopioides</i>	16:27
<i>Basidiobotrys</i> sp.	16:3	<i>Curvularia lunata</i>	18:3
<i>Beauveria bassiana</i>	16:3	Cystine	17:29
Beer	17:22	Developing countries	17:9
Belarus	18:13	<i>Dictyophora</i> spp.	16:35
Biodegradation	16:7; 18:15	Dietary fiber	17:21
Biomass	18:7	Diketopiperazines	17:1
Biotin	17:30	Edible mushroom	18:7
<i>Blastomyces</i>	16:1	Electrical conductivity, soil	16:1
<i>Boletus aereus</i>	16:27	<i>Emericella rugulosa</i>	17:1
<i>Boletus aestivalis</i>	16:27	Ergosterol	17:30; 18:21
<i>Boletus edulis</i>	16:18, 27; 17:14	<i>Escherichia coli</i>	18:3
<i>Boletus pinophilus</i>	16:27	Essential amino acids	17:21
<i>Boletus regius</i>	16:27	Ethnomycology	16:13, 25, 34
<i>Boletellus russelli</i>	16:18	Fiber	17:21
<i>Botryotrichum</i> sp.	16:5	<i>Flammulina velutipes</i>	16:35; 17:28
¹³ C NMR	17:2	Folic acid	17:30
<i>Calocybe gambosa</i>	16:27	Fungal metabolites	17:1; 18:3
		<i>Fusarium lateritium</i>	18:3
		<i>Fusarium solani</i>	16:5

<i>Ganoderma lucidum</i>	16:35; 17:5	<i>Lepista nuda</i>	16:27
<i>Gliocladium</i>	16:3	<i>Lepista personata</i>	16:27
<i>Gliocladium</i> spp.	18:3	Lethal dose	18:1
<i>Gliomastix</i>	16:1	Leucine	17:29
Glucosamine	17:21	<i>Leucopaxillus candidus</i>	16:27
<i>Gomphus floccosus</i>	16:18	<i>Leucopaxillus lepistoides</i>	16:27
<i>Grifola frondosa</i>	17:28	Lignin biodegradation	16:7
<i>Grifola gargal</i>	18:7	Lignocellulose	16:7; 18:15
<i>Grifola sordulenta</i>	18:7	Livestock compost	18:21
¹ H NMR	17:2	<i>Lycoperdon perlatum</i>	16:18
<i>Helminthosporium</i> spp.	18:3	<i>Lyophyllum decastes</i>	17:14; 18:21
<i>Helvella crispa</i>	16:18	Lysine	17:29
<i>Helvella lacunosa</i>	16:18	<i>Macrolepiota procera</i>	16:27
<i>Helvella leucomelaena</i>	16:27	<i>Macrolepiota rhacodes</i>	16:27
<i>Helvella monachella</i>	16:27	<i>Macrolepiota</i> spp.	16:35
<i>Helvella</i> spp.	17:14	<i>Marasmius oreades</i>	16:27
Hemicellulose	16:7	Mares milk	17:31
Himachal Pradesh	16:1	Marketing	16:25
<i>Hydnum imbricatum</i>	16:18	Marketing channels	17:9
<i>Hydnum repandum</i>	16:27	Marketing margins	17:9
<i>Hydnum rufescens</i>	16:27	Matsutake	16:13
<i>Hygrophorus</i> aff. <i>niveus</i>	16:18	Medicinal mushroom	18: 21
<i>Hygrophorus eburneus</i>	16:27	Methionine	17:29
<i>Hygrophorus latitabundus</i>	16:27	Mexico	16:13; 17:9
<i>Hygrophorus olivaceoalbus</i>	16:27	<i>Micrococcus luteus</i>	16:1
<i>Hygrophorus russula</i>	16:18, 27	<i>Micrococcus varians</i>	16:1
<i>Hyphomyces ocraseus</i>	16:1	Minerals	17:21
India	16:1	<i>Morchella angusticeps</i>	16:4
Isoleucine	17:29	<i>Morchella conica</i>	16:4
Kumys	17:31	<i>Morchella crassipes</i>	16:4
<i>Laccaria amethystina</i>	16:18	<i>Morchella esculenta</i>	16:4, 27; 17:14
<i>Laccaria bicolor</i>	16:18	<i>Morchella hybrida</i>	16:4
<i>Laccaria laccata</i>	16:18; 17:14	<i>Morchella</i> spp.	16:18
<i>Lactarius deliciosus</i>	16:18, 27	<i>Mucor pusillus</i>	16:5
<i>Lactarius indigo</i>	17:14	<i>Myceliophthora thermophila</i>	18:29
<i>Lactarius piperatus</i>	16:18	<i>Mycena</i> spp.	16:18
<i>Lactarius salmonicolor</i>	16:18	Myco-ecology	16:1
<i>Lactarius sanguifluus</i>	16:27	<i>Neocosmospora vasinfecta</i>	18:3
<i>Lactarius scrobiculatus</i>	17:14	Niacin	17:22
<i>Lactarius volemus</i>	16:18	“Nutriceuticals”	18:1, 7
<i>Leccinum aurantiacum</i>	16:27	Nutrition	17:27
<i>Leccinum lepidum</i>	16:27	Osteoarthritis	17:21
<i>Lentinula edodes</i>	17:10, 28; 18:37	Oyster mushrooms	17:9; 18:13

<i>Paecilomyces variotii</i>	18:29	<i>Ramaria flava</i>	16:18; 17:14
Pantothenic acid	17:30	Reticulo-rumen digestibility	18:15
Pasteurization	18:13	Review	
<i>Pectobacterium carotovorum</i>	18:3	<i>Frontiers Mushroom Biotech.</i>	18:37
<i>Penicillium</i> sp.	16:5	“Mushroom Business”	16:24
Phenylalanine	17:29	<i>Rhizomucor</i> spp.	18:29
<i>Phialospora</i> sp.	16:5	<i>Rhizopus</i> spp.	16:5; 18:3
<i>Phoma</i> sp.	16:1	<i>Rhodocybe truncata</i>	16:27
Phytase	18:29	Riboflavin	17:30
Phytopathogenic fungi	18:3	Rumen digestibility	16:7; 18:15
<i>Phytophthora capsici</i>	18:3	Russia	18:13
<i>Phytophthora drechsleri</i>	18:3	<i>Russula</i> aff. <i>queletii</i>	16:18
Pine white mushrooms	16:13	<i>Russula brevipes</i>	16:18
<i>Pinus douglasiana</i>	16:14	<i>Russula cyanoxantha</i>	16:18, 27
<i>Pinus leiophylla</i>	16:17	<i>Russula emetica</i>	16:18
<i>Pinus montezumae</i>	16:18	<i>Russula virescens</i>	16:27
<i>Pinus nigra</i>	16:28	Soil elements	16:1
<i>Pinus oaxacana</i>	16:17	Solid-state fermentation	16:9; 18:15, 29
<i>Pinus patula</i>	16:17	Spain	16:25
<i>Pinus rudis</i>	16:17	<i>Staphylococcus aureus</i>	18:3
<i>Pinus teocote</i>	16:17	Sugar cane bagasse	18:15, 29
<i>Pleurotus eryngii</i>	16:27	<i>Suillus bellinii</i>	16:28
<i>Pleurotus nebrodensis</i>	16:27	<i>Suillus bovinus</i>	16:28
<i>Pleurotus ostreatus</i>	16:27, 35	<i>Suillus brevipes</i>	16:18
<i>Pleurotus pulmonarius</i>	16:35	<i>Suillus granulatus</i>	16:18, 28
<i>Pleurotus sajor-caju</i>	16:35	<i>Suillus luteus</i>	16:28
<i>Pleurotus</i> spp.	17:10, 28; 18:13	<i>Suillus variegatus</i>	16:28
<i>Pleurotus tuberregium</i>	16:35	Sunflower seed hulls	18:7
Poison	18:1	<i>Terfezia arenaria</i>	16:28
Proteins	17:21, 27	<i>Terfezia claveryi</i>	16:28
<i>Pseudomonas aeruginosa</i>	18:3	<i>Terfezia leptoderma</i>	16:28
<i>Pseudomonas</i> spp.	16:1	<i>Termitomyces clypeatus</i>	16:35
Pyridoxin	17:30	<i>Termitomyces mammiformis</i>	16:35
<i>Quercus conzattii</i>	16:17	<i>Termitomyces robustus</i>	16:35
<i>Quercus crassifolia</i>	16:17	<i>Termitomyces</i> sp.	18:15
<i>Quercus faginea</i>	16:25	<i>Termitomyces titanicus</i>	16:35
<i>Quercus humilis</i>	16:25	<i>Thermoascus aurantiacus</i>	18:29
<i>Quercus ilex</i>	16:25	Thermophilic fungi	18:29
<i>Quercus laurina</i>	16:17	Thiamin	17:30
<i>Quercus pyrenaica</i>	16:28	Threonine	17:29
<i>Quercus rugosa</i>	16:17	<i>Trametes versicolor</i>	16:7
<i>Quercus scytophylla</i>	16:17	<i>Trichoderma</i>	18:13
<i>Ramaria botrytis</i>	16:27	<i>Tricholoma equestre</i>	16:28

<i>Tricholoma flavovirens</i>	16:18
<i>Tricholoma goniospermum</i>	16:28
<i>Tricholoma magnivelare</i>	16:13
<i>Tricholoma portentosum</i>	16:28
<i>Tricholoma terreum</i>	16:28
Tryptophan	17:29
Truffle, black	16:25
<i>Tuber aestivum</i>	16:28
<i>Tuber brumale</i>	16:28
<i>Tuber melanosporum</i>	16:28
Turkey	18:13
Tyrosine	17:29
USAID	18:13
Valine	17:29
Vitamins (also by name)	17:21, 30
D	17:21, 30
K	17:21, 30
Pro-D	17:21, 30
<i>Volvariella caesiotincta</i>	16:35
<i>Volvariella gloiocephala</i>	16:35
<i>Volvariella</i> spp.	18:37
<i>Volvariella volvacea</i>	16:35; 17:28
Wheat straw	16:7
White-rot	18:15
Words	18:1
<i>Xanthomonas vesicatoria</i>	18:3
Yeast	
Torula	17:30
Brewer's	17:30

